LYTHRIN

Cutaneous Emulsion Permethrin 1% w/w

HARD ON LICE, GENTLE ON SCALP

Permethrin lotion 1% is approved by the MOH for the treatment of head lice.

Permethrin

Permethrin works by paralyzing and killing lice and their eggs (nits).

Permethrin is approved for use on children 2 months of age and older.



















SEAL CLOTHES, BEDDING, AND PLUSH TOYS IN A PLASTIC BAG FOR TWO WEEKS



HOW TO USE?



Wash hair with a shampoo without conditioner. (may decrease the activity of Permethrin Lotion 1%. Rinse with water)



Towel dry hair so it is damp but not wet



Shake the bottle of **Permethrin Lotion 1% well**



Saturate the hair and scalp with Permethrin Lotion 1%.





Begin to apply Permethrin **Lotion 1% behind** the ears and at the back of the neck.



Leave Permethrin Lotion 1% on the hair for 10 minutes, but no longer



Rinse with warm water



Towel dry hair and comb out tangles

Be aware!

- 1. Keep Permethrin Lotion 1% out of the eyes. Protect the eyes with a washcloth or towel.
- 2. If live lice are seen seven days or more after the first treatment, a second treatment should be given.

Distributed by:



P.O. Box 47612, Abu Dhabi, UAE

+971 2 673 4781
info@propharma.ae









Cutaneous Emulsion Permethrin 1% w/w

Distributed by:



