






Punction of	f AL Change	App (17)	Myopes	Non-myopes
-		Age (ST)	Mean (95% CI)	Mean (95% Cf)
		6	2.06 (1.85, 2.26)	145 (1.53, 1.77)
OD	OS	7	2.11 (1.93, 2.29)	170 (1.60, 1.00)
			2.16 (2.00, 2.32)	176 (167, 185)
0.75	1.00		2.22 (2.06, 2.36)	LBI (1.72, 1.90)
= 1.74	= 1.92	10	2.27 (2.16, 2.42)	186 (177, 196)
0.43	0.52		2.32 (2.21, 2.44)	192 (181, 2.02)
		12	2.38 (2.26, 2.49)	197 (1.84, 2.10)
		13	2.43 (2.31, 2.55)	2.02 (1.87, 2.17)
		14	2.48 (2.35, 2.61)	2.07 (1.90, 2.25)
Impact of AL change on Rx is NONLINEAR!		15	2.54 (2.39, 2.68)	2.13 (1.92, 2.33)
		16	2.59 (2.42, 2.75)	2.10 (1.95, 2.41)
Homemean		Stars webpering automation	CONTRACTOR OF A STREET OF A STREET	
		active carrier		

























Challenges in Measuring Anti-Myopia Efficacy ê) Unavailable i Inconsistency OrthoK modality w. AL changes Management 22

